



# TECHNIWATCH

swiss precision tools

## EXTRACTOR FOR FIXED BEZELS AND DRIVE-ON CASE-BACKS

No metal contact on the case middle.

**THIS EXTRACTOR IS USEFUL WHEN YOU WANT TO ELIMINATE ANY RISK OF SCRATCHING HIGH-END WATCH HEADS.**

With its robust design, the extractor makes driving-off operations effortless and completely safe. The detachment direction is axial, and so prevents causing any deformation of the bezel or case-back.

The versatile jaws, made from synthetic material, can most watch heads, thanks to two shapes in various sizes.

The blades, also made from plastic, are ideal to prevent scratching your components.

For particular cases, we offer custom blades and jaws made from various materials.



### Technical specifications:

- 1 set of blades made from synthetic material
- 1 set of jaws made from synthetic material

### Size:

135 x 135 x 235 mm

### Weight:

3.4 kg

### References:

E311100

### Techniwatch SA

Route de la Jaluse 5b,  
2400 Le Locle  
Tel : 032 926 19 46  
[www.techniwatch.ch](http://www.techniwatch.ch)

Discover our presentation videos on our Youtube channel « Techniwatch SA »  
Also accessible by scanning the following QR code





# TECHNIWATCH

swiss precision tools

## EXTRACTOR FOR FIXED BEZELS AND DRIVE-ON CASE-BACKS

Product details



### RECOMMENDATIONS:

Choose the lower side of the vice jaws according to the size of the case middle horns. The jaws are reversible, and are clipped into the jaw holder. They are easy to turn over.

Place the watch on the lower vice, and close it firmly using the side knurled buttons.

Fully open the upper vice.

Lower the blades using the upper handle, positioning them just below the bezel or case-back. As the lower vice is rotary, you can orient it to select an easier access position.

Clamp the blades using the knurled buttons.

Depending on the geometry of your parts, this may start or even finish the extraction.

Screw in the upper handle to drive off the bezel or case-back.

A spring-mounted support in the middle of the watch helps keep the assembly supported during extraction.

### REPLACING THE JAWS AND BLADES

Both the lower jaws or upper blades can simply be unclipped by hand.



#### Techniwatch SA

Route de la Jaluse 5b,  
2400 Le Locle  
Tel : 032 926 19 46  
[www.techniwatch.ch](http://www.techniwatch.ch)

Discover our presentation videos on our Youtube channel « Techniwatch SA »  
Also accessible by scanning the following QR code







# TECHNIWATCH

swiss precision tools

## EXTRACTOR FOR FIXED BEZELS AND DRIVE-ON CASE-BACKS

Accessories

	Products	References
	Set of 2 blades made from synthetic material	E311104-L
	Set of 2 vice jaws made from synthetic material	E311108-M

Techniwatch SA

Route de la Jaluse 5b,  
2400 Le Locle  
Tel : 032 926 19 46  
[www.techniwatch.ch](http://www.techniwatch.ch)

Discover our presentation videos on our Youtube channel « Techniwatch SA »  
Also accessible by scanning the following QR code

